

## 1. Calculation



### 1.1 Symbols Used in Spring Design Formulae

Symbols used in spring design formulae are shown in Table 1.

Table 1 Meaning of Symbols

| Symbol         | Meaning of Symbols                       | Unit                                     |
|----------------|--|--|
| d              | Diameter of Material                     | mm                                       |
| D <sub>1</sub> | Inner Diameter of a Coil                 | mm                                       |
| D <sub>2</sub> | Outer Diameter of a Coil                 | mm                                       |
| D              | Coil Mean Diameter = $\frac{D_1+D_2}{2}$ | mm                                       |
| N <sub>t</sub> | Total Number of Winding                  | -  |
| N <sub>a</sub> | Number of Active Winding                 | -  |
| L              | Free Length(Length)                      | mm                                       |
| H <sub>s</sub> | Solid Length                             | mm                                       |
| p              | Pitch                                    | mm                                       |
| P <sub>i</sub> | Initial Tension                          | N(kgf)                                   |
| c              | Spring Index $c = \frac{D}{d}$           | -  |
| G              | Shear Modulus of Elasticity              | N/mm <sup>2</sup> (kgf/mm <sup>2</sup> ) |
| P              | Load on Spring                           | N(kgf)                                   |
| δ              | Spring Deflection                        | mm                                       |
| k              | Spring Constant                          | N/mm(kgf/mm)                             |
| τ <sub>0</sub> | Torsional Stress                         | N/mm <sup>2</sup> (kgf/mm <sup>2</sup> ) |
| τ              | Corrected Torsional Stress               | N/mm <sup>2</sup> (kgf/mm <sup>2</sup> ) |
| τ <sub>i</sub> | Initial Stress                           | N/mm <sup>2</sup> (kgf/mm <sup>2</sup> ) |
| χ              | Stress Correction Factor                 | -  |
| f              | Frequency                                | Hz                                       |
| U              | Spring-Retained Energy                   | N·mm(kgf·mm)                             |
| ω              | Per Unit Volume Material Weight          | kg/mm <sup>3</sup>                       |
| W              | Mass of Moving Parts                     | kg                                       |
| g              | Gravitational Acceleration (1)           | mm/s <sup>2</sup>                        |

Note (1) In spring calculations, a gravitational acceleration of 9806.65mm/s<sup>2</sup>, is used.



### 1.2 Basic Formulae Used in Designing of Springs

#### 1.2.1 Compression Springs, and Tension Springs without Initial Tension

$$\delta = \frac{8N_a D^3 P}{G d^4} \quad (1) \quad \tau = \chi \tau_0 \quad (5)$$

$$k = \frac{P}{\delta} = \frac{G d^4}{8N_a D^3} \quad (2) \quad d = \sqrt[3]{\frac{8DP}{\pi \tau_0}} = \sqrt[3]{\frac{8\chi DP}{\pi \tau}} \quad (6)$$

$$\tau_0 = \frac{8DP}{\pi d^3} \quad (3) \quad N_a = \frac{G d^4 \delta}{8D^3 P} = \frac{G d^4}{8D^3 k} \quad (7)$$

$$\tau_0 = \frac{G d \delta}{\pi N_a D^2} \quad (4) \quad U = \frac{P \delta}{2} = \frac{k \delta^2}{2} \quad (8)$$

#### 1.2.2 Tension Springs with Initial Tension (Where: P > P<sub>i</sub>)

$$\delta = \frac{8N_a D^3 (P - P_i)}{G d^4} \quad (1') \quad \tau = \chi \tau_0 \quad (5')$$

$$k = \frac{P - P_i}{\delta} = \frac{G d^4}{8N_a D^3} \quad (2') \quad d = \sqrt[3]{\frac{8DP}{\pi \tau_0}} = \sqrt[3]{\frac{8\chi DP}{\pi \tau}} \quad (6')$$

$$\tau_0 = \frac{8DP}{\pi d^3} \quad (3') \quad N_a = \frac{G d^4}{8D^3 k} = \frac{G d^4 \delta}{8D^3 (P - P_i)} \quad (7')$$

$$\tau_0 = \frac{G d \delta}{\pi N_a D^2} + \tau_i \quad (4') \quad U = \frac{(P + P_i) \delta}{2} \quad (8')$$

### 1.3 Points to Note when Designing Springs

#### 1.3.1 Shear Modulus of Elasticity

Shear modulus of elasticity(G) listed in Table 2 is recommended for the designing of springs.

Table 2 Shear Modulus of Elasticity(G)

| Material                | G Value N/mm <sup>2</sup> (kgf/mm <sup>2</sup> ) | Symbol                                      |
|-------------------------|--|---|
| Spring Steel            | $78 \times 10^3 (8 \times 10^3)$                 | SUP6,7,9,9A,10,11A,12,13                    |
| Hard Steel Wire         | $78 \times 10^3 (8 \times 10^3)$                 | SW-B, SW-C                                  |
| Piano Wire              | $78 \times 10^3 (8 \times 10^3)$                 | SWP   |
| Oil Tempered Steel Wire | $78 \times 10^3 (8 \times 10^3)$                 | SWO, SWO-V, SWOC-V, SWOSC-V, SWOSM, SWOSC-B |
| Stainless Steel Wire    | SUS 302  | SUS 302                                     |
|                         | SUS 304  | SUS 304                                     |
|                         | SUS 304N1  | SUS 304N1                                   |
|                         | SUS 316  | SUS 316                                     |
| SUS 631 J1              | $74 \times 10^3 (7.5 \times 10^3)$               | SUS 631 J1                                  |

#### 1.3.2 Number of Active Winding

The number of active winding can be determined as follows.

##### (1) Compression Springs

$$N_a = N_t - (X_1 + X_2)$$

Where X<sub>1</sub> and X<sub>2</sub>: are the number of turns at each end of the coil.

(a) When only the end of the coil is in contact with the next free coil [Corresponding to (a) ~ (c) in Fig.2]

$$X_1 = X_2 = 1$$

Therefore,  $N_a = N_t - 2$

(b) When the end of the coil is not in contact with the next coil, and the spring end has  $\frac{3}{4}$  of a turn. [Corresponding to (a) ~ (e) in Fig.2]

$$X_1 = X_2 = 0.75$$

Therefore,  $N_a = N_t - 1.5$

##### (2) Tension Springs

The number of active winding can be determined as follows. But hooks are ignored.


$$N_a = N_t$$

### 1.3.3 Stress Correction Factor

The stress correction factor relative to the spring index (C) can be determined by using the following formula or based on Fig.1.

$$\chi = \frac{4c-1}{4c-4} + \frac{0.615}{c} \quad (9)$$

Fig-1. Hardness Coefficient : χ



### 1.3.4 Solid Length

The solid length of a spring can normally be obtained by using the following simplified formula. Generally, the purchaser of a compression spring does not specify the solid length of the spring.

$$H_s = (N_t - 1)d + (t_1 + t_2) \quad (10)$$


where, (t<sub>1</sub> + t<sub>2</sub>): is the sum of the thicknesses of the coil ends.

As for those compression springs, both ends of which are shaped as shown in (b), (c), (e) or (f) of Figure 2 and for which the solid length needs to be specified, the following formula can be used to obtain the maximum solid length. However, the actual maximum solid length can be greater than the value thus calculated depending on the shape of the spring in question.

$$H_s = N_t \times d_{max} \quad (11)$$

where d<sub>max</sub>: d is the material diameter with the maximum tolerance.

Fig-2. Coil End Shape




### 1.3.5 Initial Tension of Tension Springs

Cold-formed solid-coiled tension springs are subjected to initial tension (P<sub>i</sub>). The initial tension can be obtained using the following formula.

$$P_i = \frac{\pi d^3}{8D} \tau_i \quad (12)$$

On solid-coiled piano wire, hard steel wire, and other steel wires that are not low-temperature annealed, the initial stress occurs within the hatched range shown in Fig.3. However, if materials other than steel wire are used, or the wire in question is low-temperature annealed, the initial stress taken from within the hatched range in Fig.3 should be corrected as follows.

Fig-3 Initial Stress : τ<sub>i</sub> (Spring formed from steel coil, not low-temperature annealed)



- When using stainless steel wire, decrease the initial stress value for steel wire by 15%.
- If the spring is low-temperature annealed after being formed, decrease the value by 20~35% for springs made of piano wire, hard steel wire, or other stainless steel wires, and by 15~25% for springs made of stainless steel wire.

Reference In place of Fig.3, the following empirical formula can be used to establish the initial stress for springs before low-temperature annealing.

$$\tau_i = \frac{G}{100c}$$

The following examples are for applications of this formula to obtain the initial tension.

#### (1) Piano Wire / Hard Steel Wire [G=78×10<sup>3</sup>N/mm<sup>2</sup>{8×10<sup>3</sup>kgf/mm<sup>2</sup>}

Initial Stress  $\tau_i = \frac{G}{100c} \times 0.75$  (0.75 by 25, reduction by low-temperature annealing).

$$\text{Initial Tension } P_i = \frac{\pi d^3}{8D} \tau_i = \frac{G d^4}{255D^2} \times 0.75 = \frac{229d^4}{D^2} \left\{ \frac{24d^4}{D^2} \right\}$$

#### (2) When using stainless steel wire [G=69×10<sup>3</sup>N/mm<sup>2</sup>{7×10<sup>3</sup>kgf/mm<sup>2</sup>}

Initial Stress  $\tau_i = \frac{G}{100c} \times 0.8$  (0.8 by 20, reduction by low-temperature annealing).

$$\text{Initial Tension } P_i = \frac{\pi d^3}{8D} \tau_i = \frac{G d^4}{255D^2} \times 0.8 = \frac{216d^4}{D^2} \left\{ \frac{22d^4}{D^2} \right\}$$

### 1.3.6 Surging

In order to prevent surging, the spring selected should be as that its natural frequency does not resonate with any of the natural frequencies that may act upon the spring.

The initial tension can be obtained using the following formula.

$$f = a \sqrt{\frac{kg}{W}} = a \frac{70d}{\pi N_a D^2} \sqrt{\frac{G}{\omega}} \quad (13)$$

Where,  $a = \frac{i}{2}$ : when both spring ends are either free or fixed

$a = \frac{2i-1}{4}$ : when one spring end is fixed while the other end is free  $i = 1, 2, 3, \dots$

$$G = 78 \times 10^3 \text{ N/mm}^2 \{ 8 \times 10^3 \text{ kgf/mm}^2 \},$$

$w = 76.93 \times 10^{-6} \text{ N/mm}^3 \{ 7.85 \times 10^{-6} \text{ kgf/mm}^3 \}$  If both spring ends are either free or fixed, the natural primary frequency of a spring can be obtained as follows.

$$f_1 = 3.56 \times 10^5 \frac{d}{N_a D^2} \quad (13')$$

### 1.3.7 Other Points to Note

In spring design calculations, the following points should also be taken into account.

(1) **Spring Index** Excessive local stress can result from too small spring index. Machinability is compromised if the spring index is too great or small. The spring index should be selected from the range of 4~15 when hot forming, and from the range of 4~22 when cold forming.

(2) **Slenderness Ratio** In order to ensure the correct number of active winding, the slenderness ratio for a compression spring (Ratio of free height to coil mean diameter) should be 0.8 or greater. Furthermore, buckling considered, it is generally recommended that the slenderness ratio be selected from the range of 0.8 ~ 4 to prevent buckling.

(3) **Number of Active Winding** The number of active winding should be 3 or more in order to stabilize spring characteristics.

(4) **Pitch** Generally, when the pitch exceeds 0.5D, the spring deflection (load) increases to the extent that the coil diameter changes. This requires correction of the deflection and torsional stress values obtained by the basic formulae. Therefore, the pitch should be 0.5D or smaller. The pitch can generally be estimated using the following simplified formula.

$$p = \frac{L - H_s}{N_a} + d \quad (14)$$